Lucy Zodion



FORTRESS DOUBLE DOOR FEEDER PILLARS

Designed for larger low-voltage power distribution installations, the Double Door Pillar range combines robust security with increased internal access, providing a versatile and durable enclosure solution for a wide range of outdoor applications.

Larger depth: 600mm

Increased height: 1.3-2.2 meters

18mm treated exterior grade backboard

Robust and durable design

Detachable root section

Secure Locking

New options available are larger to accommodate larger cables and metering options.
Images are for illustration purposes only.

The ideal solution for projects manufactured to face challenges such as:

- Low-voltage power distribution
- Utilities infrastructure
- Highways and public realm projects
- Outdoor installations requiring increased equipment access and maintenance space



SPECIFICATION

Hinge Type	Stainless steel hinge blocks
Lock Type	Two Lucy Wedge locks fitted as standard
Backboard	18mm treated exterior grade plywood
Pillar IP Rating	IP 43
Earthing	Factory-fitted earth lead between pillar body and door
Material	Hot dip galvanised mild steel
Root Section	Bitumen enriched painted root section - detachable
Installation Features	Ground level indicator for ease of installation
Standards Compliance	Manufactured in accordance with BS EN ISO 1461

OPTIONS

- Customer specification pre-wired solutions available
- Any BS or RAL paint colours supplied as per customer specification
- Factory fitted accessories available such as lighting kits, heater kits and alternative locks available on request

Double Door Pillar Sizes and Dimensions								
	Code	Pillar Size	Height (mm)	Width (mm)	Depth (mm)	Enclosure Material	Doors	Weight (KG)
	THM0024672	Size 14	1300	1250	450	Hot Dipped Galvanised Mild Steel (3mm)	Double	176
	2270030009	Size 14	1300	1250	450	Hot Dipped Galvanised Mild Steel (5mm)	Double	300
	THM0024674	Size 16	1300	1500	450	Hot Dipped Galvanised Mild Steel (3mm)	Double	202
	THM0013839	Size 16	1300	1500	450	Hot Dipped Galvanised Mild Steel (5mm)	Double	350
	THM0024676	Size 18	1300	1750	450	Hot Dipped Galvanised Mild Steel (3mm)	Double	234
	2800244009	Size 18	1300	1750	450	Hot Dipped Galvanised Mild Steel (5mm)	Double	400
	THM0024680	Size 20	1300	2000	450	Hot Dipped Galvanised Mild Steel (3mm)	Double	266
	20-HDG-5	Size 20	1300	2000	450	Hot Dipped Galvanised Mild Steel (5mm)	Double	420
	THM0024682	Size 22	1600	1250	450	Hot Dipped Galvanised Mild Steel (3mm)	Double	201
	THM0016660	Size 22	1600	1250	450	Hot Dipped Galvanised Mild Steel (5mm)	Double	350
	THM0024685	Size 24	1600	1500	450	Hot Dipped Galvanised Mild Steel (3mm)	Double	231
	THM0024687	Size 26	1600	1750	450	Hot Dipped Galvanised Mild Steel (3mm)	Double	269
	THM0024689	Size 28	1600	2000	450	Hot Dipped Galvanised Mild Steel (3mm)	Double	305
	THM0024691	Size 30	1600	2250	450	Hot Dipped Galvanised Mild Steel (3mm)	Double	343
	THM0241314	Size 32	2000	1500	600	Hot Dipped Galvanised Mild Steel (3mm)	Double	300
	THM0241316	Size 34	2000	1750	600	Hot Dipped Galvanised Mild Steel (3mm)	Double	355
	THM0241319	Size 36	2000	2000	600	Hot Dipped Galvanised Mild Steel (3mm)	Double	385
	THM0241320	Size 38	2000	2250	600	Hot Dipped Galvanised Mild Steel (3mm)	Double	415
	THM0241321	Size 40	2200	2000	600	Hot Dipped Galvanised Mild Steel (3mm)	Double	415
	THM0241323	Size 42	2200	2250	600	Hot Dipped Galvanised Mild Steel (3mm)	Double	455

*All double door pillars are delivered by hiab – price available upon request

* Infill panels are not available for these larger pillars

* It is recommended this larger range of pillar shells should have the root section buried in concrete

Lucy Zodion

Call our customer sales team on: **+ 44 (0) 1422 317 317**
For orders, please email: **orderline@lucyzodion.com**
For quotes, please email: **quotes@lucyzodion.com**

www.lucyzodion.com
Zodion House, Station Road, Sowerby Bridge HX6 3AF