





Power Distribution Enclosures

Pillar shells and in-ground feeder pillars





Contents

Power Distribution Enclosures for every market
Distribution Network
Pillar Shells
Product Technical Information
Inground Power Distribution
EV Supply Solutions

Lucy Zodion –

Power distribution enclosures for every market

Lucy Zodion is the UK's leading provider of feeder pillars with a wide range of high quality products, in many sizes and materials. We hold a large UK-based stock enabling us to support your projects quickly and easily and our distributor network covers the whole of the UK, so wherever your project – you can count on us!

Manufactured to the highest standard, whether your enclosure is made from Stainless Steel, Glass Resin Plastic (GRP) or Hot Dip Galvanised (HDG), Lucy Zodion can provide a robust and durable service, fast!

All our standard sized products are available in a number of materials and finishes, with optional extras that can help create a solution that better matches your requirements. As well as our standard range of stocked sizes we specialise in manufacturing bespoke solutions in all sizes. Our UK-based design and engineering team can help whatever your requirements, ranging from EV charging enclosures, to PADs approved GRP enclosures.

All of our enclosures are available painted, so whether it's a specialist finish such as G2A for highways, or a RAL colour to meet a design specification for an airport or urban scheme, our painted products offer a top quality finish and with a standard lead time of 2 – 3 weeks.

Why choose Lucy Zodion?

Our market leading position is founded on high build quality and excellent availability. We have many years' experience in delivering a wide range of market leading products, across many sectors, including;

Street Lighting

Highways

EV Charging

Airports

Rail

Retail & Leisur e

Urban Regeneration

Utilities

All of our pr oducts are manufactured in accordance with the relevant BS EN Standards.



Distributor Network

Our enclosures are available from our wide reaching distributor network that will be able to service your needs across the whole of the UK. Our products are widely available through all of the following;

- Leading national electrical wholesalers
- Independent electrical buying groups
- Industry sector specialist distributors

For more information on our distributor network please contact our sales team on +44 (0)1422 317317 or email sales@lucyzodion.com

Attractive Lead Times

- Standard pillars: Lead time 2 3 days (Overnight on request)
- Standard painted products: Lead time 2 3 weeks
- Bespoke items: Price and delivery on application
- Cast Ir on: Lead time up to 8 weeks

All lead times are dependent on stock availability at time of order

Value Added Services

In addition to standard enclosures Lucy Zodion provides a wide range of value added services:

- Pre-wiring and testing
- Design services
- Bespoke and specialist products
- Painted solutions
- Maintenance packages
- Special locks and heaters

For all pre-wiring and value added services please contact our specialist pre-wire team on +44 (0)1422 317335, or email pwpsales@lucyzodion.com



Pillar Shells

Lucy Zodion's Fortress range of Hot Dip Galvanized (HDG) pillar shells are the UK's leading range of enclosures for external power distribution applications. Sold widely across the street lighting and highways sector, the Fortress pillar shell range provides high quality at an affordable price.

With a number of features, such as detachable roofs and roots, aiding various installation requirements, Lucy Zodion's range of "Lucy Pillar" shells doesn't stop at the standard Fortress range. Our dedicated Design Centre can also work with you should a bespoke requirement arise, whether it's a streamline solution to meet space restrictions or a large double door shell to host more complex electrical specifications, we can help.

Standard Construction

- 3mm or 5mm* thick mild steel galvanised to BS EN ISO 1461
- · Galvanised and painted variations available for extra durability
- Available with detachable roofs and root sections*
- 18mm exterior grade plywood backboard
- · Vandal resistant hinges flush to pillar and door.
- IP65 Door Seal rating (slimline, single and double door)
- · Fitted with locks as standard
 - Single Door Tri-head Lock
 - Double Door Wedge Lock
- * Single and double door pillars only

Additional information

- BS or RAL paint colours supplied as per customer specification
- G2A paint finishes available for highways applications
- Stainless steel construction available upon request (BSEN 10088-1)
- Pre-wired services available upon request (tested to BS 7671)
- · External sockets can be fitted upon request
- · Cat-flaps and cable management option available
- Wide selection of lock options available upon request




Product technical information

Power Distribution Shells | Fortress Pillar range

Range Type	Size code	Height Above Ground	Root Section (mm)	Width (mm)	Depth (mm)	Height (mm)	Door Height (mm)	Working Depth (mm)	Shell thickness (mm)	Backboard size (mm) W x H	Weight (kg)	Part no
	4810	785	300	113	120	785	510	85	3	90 x 500	11	THM0025272
	4811	785	300	163	120	785	510	85	3	140x500	14	THM0025273
lars	4812	785	300	163	170	785	510	130	3	140x500	16	THM0027610
Mini Pillars	4813	785	300	213	170	785	510	130	3	190x500	19	THM0025275
Min	4814	785	300	265	170	785	510	130	3	240x500	22	THM0025276
	4815	985	300	365	170	985	710	130	3	345x700	32	THM0025277
	4816	1000	300	503	250	1000	800	199	3	480x780	47	THM0025279
	SL01	800	300	250	160	800	590	106	3	240x765	21	THM0011393
ars	SL02	950	300	350	235	950	740	181	3	340x915	29	THM0011394
Slimline Pillars	SL03	1093	300	450	260	1093	740	206	3	440x915	39	THM0011396
nline	SL04	1100	300	550	275	1100	840	221	3	540x1015	38	THM0011398
Slir	SL05	1150	300	650	300	1150	940	246	3	640x1115	77	THM0011400
	SL06	1150	300	800	325	1150	940	271	3	790x1115	84	THM0011402
10	05	791	350	310	220	791	585	170	3	300x650	36	THM0024653
illar	06	636	300	400	180	636	410	155	3	390x475	42.5	THM0024656
Single Door Pillars	08	836	300	600	250	836	610	225	3	590x675	71.5	THM0024658
e Do	09	1088	350	661	281	1088	860	225	3	640x930	84	THM0024664
ingl	10	1194	350	800	350	1194	907	325	3	790x975	108	THM0024666
S	12	1294	350	1110	400	1294	1007	375	3	1080x1075	142	THM0024668

^{*} Please note all pillars are supplied with a root section.



Product technical information

Power Distribution Shells | Fortress Pillar range

Range Type	Size code	Height Above Ground	Root Section (mm)	Width (mm)	Depth (mm)	Height (mm)	Door Height (mm)	Working Depth (mm)	Shell thickness (mm)	Backboard size (mm) W x H	Weight (kg)	Part no
				4050	450	4200			3	1225x1085	176	THM0024672
	14	1300	380	1250	450	1300	980	375	5		300	2270030009
	16	1200	200	1500	450	1200	000		3	1.4751005	202	THM0024674
	16	1300	380	1500	450	1300	980	375	5	1475x1085	350	THM0013839
	10	1200	200	1750	450	1200	000	275	3	1005 1005	234	THM0024676
	18	1300	380	1750	450	1300	980	375	5	1925x1085	400	2800244009
10	20	1200	200	2000	450	1200	000	275	3	10751005	266	THM0024680
illar	20	1300	380	2000	450	1300	980	375	5	1975x1085	420	20-HDG-5
Double Door Pillars	22	1600	200	1250	450	1600	1200	375	3	1225x1385	201	THM0024682
e Do	22	1600	380	1250	450	1600	1280		5		350	THM0016660
nple	24	1600	380	1500	450	1600	1280	375	3	1475x1385	231	THM0024685
۵	26	1600	380	1750	450	1600	1280	375	3	1725x1385	269	THM0024687
	28	1600	380	2000	450	1600	1280	375	3	1975x1385	305	THM0024689
	30	1600	380	2250	450	1600	1280	375	3	2225x1385	343	THM0024691
	32	2000	380	1500	600	2000	1734	497	3	1475x1785	300	THM0241314
	34	2000	380	1750	600	2000	1734	497	3	1725x1785	355	THM0241316
	36	2000	380	2000	600	2000	1734	497	3	1975x1785	385	THM0241319
	38	2000	380	2250	600	2000	1734	497	3	2225x1785	415	THM0241320
	40	2000	380	2000	600	2200	1934	497	3	1975x1985	415	THM0241321
	42	2200	380	2250	600	2200	1934	497	3	2225x1985	455	THM0241323
llars	44	2000	380	2500	600	2000	1734	497	3	2425x1785	480	THM0241324
or Pi	46	2000	380	2850	600	2000	1734	497	3	2825x1785	540	THM0241325
riple Door Pillars	50	2200	380	2000	600	2200	1934	497	3	2425x1985	525	THM0241327
Trip	52	2200	380	2850	600	2200	1934	497	3	2825x1985	575	THM0241328

^{*} Please note all pillars are supplied with a root section.

In-ground Power Distribution - Power from ground to socket in seconds

The Westminster range of In-ground power distribution units offer easily accessible power outlets without cluttering the street, making them ideal for markets, retail and event spaces.

Available in two frame sizes with 2 to 5 power outlet configurations the units rise into position in seconds providing safe and secure power. When not in use the unit retracts fully into the ground, out of sight.

A range of standard sized units are held in stock for fast despatch, whilst special designs such as integrated data, utilities and metering kits are available on request.





▲ Hampton, Peterborough

Construction

- 2 to 5 power outlets (Single Pole)
- Galvanised steel body (BSEN ISO 1461)
- · Lift assist on lid and tower
- Long-life stainless steel wedge lock and hinges
- A hinged stainless steel lock cover
- IP67 electrical socket box (in accordance to IEC60529)
- Positive drainage spigots (100mm)
- Tower latching for safe operation
- · 40mm lid recess for pavers

Options

- Available in a number of power and outlet configurations
- 16A, 32A and 63A RCBO protected outlets
- Single and three-phase options available
- · Data, water and air options also available
- Metering kits
- Catflap option for managing trailing leads when in 'Down' position

In-Ground Power Distribution | Westminster range

Outlets	Single Phase Socket Configuration	Length (mm)	Width (mm)	Tub depth (mm)	Raised height (mm)	Raised width (mm)	Max Weight (kg)	Standard Part no	With Catflap
	2 x 16A		518	475	590	275	150	F8000	F8200
2x	2 x 32A	905						F8001	F8201
	1 x 16A / 1 x 32A							F8002	F8202
	3 x 16A		518	475	590	275	150	F8010	F8210
_	2 x 16A / 1 x 32A							F8011	F8211
3x	1 x 16A / 2 x 32A	905						F8012	F8212
	3 x 32A							F8013	F8213
	4 x 16A		518	475	590	275	150	F8020	F8220
4	3 x 16A / 1 x 32A							F8021	F8221
4x	2 x 16A / 2 x 32A	905						F8022	F8222
	1 x 16A / 3 x 32A							F8023	F8223
_	4 x 16A / 1 x 32A		518	475	720	275	180	F8030	F8230
5x	5 x 16A	1035						F8031	F8231

Optional extras

Our standard sized pillar shells are available in a number of materials and finishes, with optional extras that can help create a solution that better matches your requirements.

Please use reference codes below when placing your order:

Code	Material Type	Pillar
HDG	Hot Dip Galvanised	Fortress range
HDP	Hot Dip Galvanised & Painted (grey as standard, other colours available on request)	Fortress range
304	304 grade stainless steel	Single, double, slimline
30P	304 grade painted finish	Single, double, slimline
30L	304 grade grit finish	Single, double, slimline
3CP	3CR12 painted finish	Single, double, slimline
316	316 grade stainless steel	Single, double, slimline
31P	316 grade painted finish	Single, double, slimline
315	316 grade polished finish	Single, double, slimline
31L	316 grade grit finish	Single, double, slimline

Code	Options	Pillar
А	Internal Gland Plate	Single, double, slimline, triple
АН	Green Colour	Single, double, slimline, triple
В	Infill panel for root section	Single, double, slimline, triple
D	Yale Lock	Single, double, slimline, triple
E	Hasp and Staple	Single, double, slimline, triple
F	Alternative paint colour	Single, double, slimline, triple
G	Heater kit	Single, double, slimline, triple
Н	13 Amp socket kit	Single, double, slimline, triple
I	Lighting kit	Single, double, slimline, triple
J	Document pocket inside door	Single, double, slimline, triple
SS	Stainless Steel	Fortress range
S	If "S" Special requirement is selected, a full description with diagrams and specification must be provided	Fortress range
SL	Special Locks – state lock type required	Fortress range

EV Supply Solutions

To support the implementation of EV Charging Networks across both Public and Commercial markets, Lucy Zodion have launched the EVIS Pillar Range, Electric Vehicle Infrastructure Solutions, a range of standard EV Connection Feeder Pillars that are site-ready and available for express delivery.

The EVIS Pillar Range is designed to meet a wide range of application requirements from 100A – 630A for both Private Supply and New DNO Supplies, in both TT and PME earthing installations.

The EVIS Pillar Range of EV Connection Feeder Pillars are available in several different configurations, enabling installers to select the correct layout for their needs.





Get a quote today!

For more information about the many power distribution products and services we can offer, or to get a quote for your next project, please get in touch with us:

Lucy Zodion pillars are available from:



Lucy Zodion Ltd, Station Road, Sowerby Bridge, HX6 3AF, United Kingdom Tel +44 (0)1422 317317 sales@lucyzodion.com www.lucyzodion.com



Lucy Zodion

Zodion House Station Road, Sowerby Bridge HX6 3AF, England

T: +44 (0) 1422 317 317 E: sales@lucyzodion.com lucyzodion.com

Department
Customer Services
Technical Enquiries

Contact number(s) +44 (0) 1422 317 317 +44 (0) 1422 317 326





